



PRODUCT NUMBER: 1014259
**R6 Premium Revolution -
Telecoms & Utilities - Duraflex
- XXL**

With the new Revolution harnesses Miller has reinvented the full body harness, redefined comfort levels and reinforced the durability of the product. This Miller R6 Revolution 4-pt Premium Harness is perfect for utilities & telecom.

Honeywell
MILLER

Översikt

Reference Number

1014259

Product Type

Fallskydd

Range

Harness

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

A quantum leap in design, innovation and 21st Century safety technology. Based on key user-identified needs, Miller has developed a new range of fall protection harnesses that meet and/or exceed expectations of users well versed in the delicate balance of safety and functionality while working at height. With the new Revolution harnesses Miller has reinvented the full body harness, redefined comfort levels and reinforced the durability of the product. This Miller R6 Revolution 4-pt Premium Harness is perfect for utilities & telecom.

Features & Benefits

Feature

A quantum leap in design, innovation and 21st Century safety technology. Based on key user-identified needs, Miller has developed a new range of fall protection harnesses that meet and/or exceed expectations of users well versed in the delicate balance of safety and functionality while working at height. With the new Revolution harnesses Miller has reinvented the full body harness, redefined comfort levels and reinforced the durability of the product. This Miller R6 Revolution 4-pt Premium Harness is perfect for utilities & telecom.

Benefit

PivotLink Connection (patented): This unique rotary design provides greater comfort in bending / mobility. Positioned at waist level to mirror the bending and squatting movements of the worker in construction and maintenance. Provides attachment point for tools and accessories. Made of stainless steel for corrosion resistance. In the event of a fall the PivotLink improves the harness resistance due to an improved distribution of the efforts.

ErgoArmor Back Shield: This semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self retracting lifelines. The self-adjusting channels conform to a variety of body shapes. The padding conforms to unlimited back contours while allowing superior air flow. A knitted mesh membrane minimizes moisture absorption and maintains an optimal air circulation whilst also helping to position the back D-ring correctly.

Self Contained Label Pack (patented): encapsulates labels minimizing damage and loss. Durable, polymer construction for extended service life. Integrated and oversized pull-free lanyard rings. Protection against light, rain, abrasion and dust.

Cam Buckle (patented): Easy, one-hand adjustment / release allows simultaneous adjustment of shoulder straps. Promotes proper snug fit; will not slip or misadjust. Constructed of high-tech polymer, lightweight aluminium and stainless steel materials that resist rust/corrosion.

DuraFlex® Webbing : Patented, elastomer webbing specially formulated to stretch with the user's movements so there is no bunching or binding.

Work positioning belt for a more comfortable hands-free position when used in conjunction with a positioning lanyard.

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Attestation

EC Attestation

EC Attestation Number

0082/490/160/05/06/0252 EXT N°01/08/10

Ytterligare information

User Manual

NT90014448 IND F

User Information Sheet

User manual

Packaging

EAN Code

3660681035028



Centre d'Essais de Fontaine
17, Boulevard Paul Langevin
38600 FONTAINE - France
Tél. +33.(0)4.76.53.52.22
Fax +33.(0)4.76.53.32.40
lab38chute@apave.com

En exécution de la directive 89/686/CEE du 21 décembre 1989 modifiée concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des dispositions pertinentes du code du travail, portant transposition de cette directive en droit français,
In enforcement of amended directive 89/686/EEC of 21st of December 1989 on the approximation of the laws of the Members States relating to personal protective equipment and in enforcement of relevant requirements of the French labour code, providing for the transcription of this directive into French regulations,

APAVE SUDEUROPE SAS, organisme notifié, identifié sous le numéro 0082, attribue l'
APAVE SUDEUROPE SAS, notified body, identified under number 0082, awards the

EXTENSION DE L'ATTESTATION D'EXAMEN CE DE TYPE
(EC Type - Examination certificate extension)
N°0082/490/160/05/06/0252 EXT N°01/08/10

A l'équipement suivant :

To the following equipment

➤ Type d'équipement : **Harnais d'antichute**

Category of equipment: Full body Harness

➤ Marque commerciale : **MILLER R6 Revo Util 4pts Premium Duraflex**

Trademark

➤ Equivalences : la présente extension est attribuée aux tailles suivantes :

Equivalences: this certificate is awarded to the following sizes:

- **XS** - très petite taille - *extra small size*
- **S/M** - taille petite/moyenne - *small/medium size*
- **L/XL** - taille large/très large - *large/extra large size*
- **XXL** - taille extra large - *very extra large size*

➤ Fabricant : **SPERIAN FALL PROTECTION FRANCE** – 35-37 Rue de la Bidauderie – 18100 VIERZON - France

Manufacturer

➤ Description : Harnais d'antichute à deux points d'accrochage antichute (dorsal et sternal), ceinture de maintien au travail à deux points d'accrochage latéraux, symétriques et équivalents par dés métalliques et ceinture à cuissardes à un point d'accrochage ventral par dé métallique. Accrochage dorsal par dé métallique. Accrochage sternal par deux boucles en sangle à relier. Fermeture des tours de cuisses et de la ceinture par boucles automatiques (description détaillée dans le dossier d'extension 10.6.0239 et dans le rapport d'examen CE de type 05.6.0431)

Description: Full body harness including two fall arrest attachment points (Back and front), work positioning belt with two symmetrical, equivalent and lateral attachment points by metallic buckle and sit harness with one ventral attachment point by metallic buckle. Back attachment point by metallic buckle. Front attachment point by two webbing buckles to link. Leg loops and belt attachments by automatic buckles (detailed description in extension file 10.6.0239 and in EC type examination report 05.6.0431)

➤ Référentiel technique utilisé : EN 361 : 2002 et EN 358 : 1999 et EN 813 : 2008

Technical referential in use

Le modèle objet de cette extension diffère du modèle de base sur les points suivants :

The type covered by this extension is different from the basic model as regards the following points:

- Mise sur le marché (modèle de base : BACOU-DALLOZ – Roissy - France)
- Référentiels technique (modèle de base : NF EN 361 : 2002 / NF EN 358 : 2000 / NF EN 813 : 1997)
- Boucle rapide, réglage bretelles en ALU PA de couleur noir avec 2 ressorts référence 90020358 (modèle de base : boucle rapide, réglage bretelles en ALU PA de couleur noir référence 90015155)
- SE/Revol – plaque pivotante en INOX F17 référence 50006206 (modèle de base : DE/Revol – plaque pivotante en ALU référence 90014409)
- Changement de la fermeture par boucles mâle/femelle en alliage léger références 90007823/90007822 et de la sangle bavaroise en Polyester référence 90014586 (modèle de base : boucle rapide SR 30/40mm en plastique référence 90008327 et sangle bavaroise en polypropylène 90003470)
- Fil Venus (modèle de base : fil Neox)

Afin de valider ces modifications, l'équipement objet de l'extension a subi avec succès les essais pertinents de la norme EN 361 de mai 2002. En conséquence ces modifications ne remettent pas en cause la conformité aux exigences essentielles qui ont été prises en compte pour l'attestation d'examen CE de type délivrée au modèle de base.

To certify these changes, the equipment covered by the extension passed relevant tests required by the standard EN 361 of May 2002.

Consequently, these changes do not question the conformity with the essential requirements taken into account to award the EC type examination certificate.

Date : le 9 août 2010

Date : the 9th August 2010

Document authentifié par tampon sec

Document certified by dry stamp

Le Responsable du Centre d'Essais de Fontaine – Certification EPI
Head of Fontaine Testing Centre – PPE Certification

Vincent MAILLOCHEAU

NOTA : Toute modification apportée au matériel neuf objet de la présente extension de l'attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R233-62 du code du travail, ainsi que toute modification des informations contenues dans le dossier technique sur la base duquel l'extension d'attestation d'examen CE de type a été délivrée.

Any modification brought about a new equipment covered by this EC type - examination extension must be notified to the body in enforcement of article R233-62 of French labour code, as well as any modification of the technical file on the basis of which the extension of the EC type certificate was awarded.

Cette extension comporte une page. Elle est établie en deux exemplaires originaux transmis au demandeur. Aucun duplicata ne sera délivré.
This certificate includes one page. This certificate is edited in two original copies. No duplicate will be issued.

APAVE SUDEUROPE SAS

Société par Actions Simplifiée au Capital de 237 448 € - N° SIREN : 518 720 925 - Site Internet : www.apave.com

SIEGE SOCIAL

BORDEAUX

Z.I. avenue Gay Lussac

BP 3

33370 ARTIGUES-près-BORDEAUX

Tél. : 05 56 77 27 27 - Fax : 05 56 77 27 00



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: R6 Premium Revolution - Telecoms & Utilities - Duraflex - XXL

Reference: 1014259

Standard(s): EN358, EN361, EN813

This PPE is the object of the below EC examination certificate n°:

Levererad av:

APAVE SUDEUROPE SAS

BP 3

33370

ARTIGUES près BORDEAUX

France

Upprättat i Vierzon, on the 29/06/2018

Av: Valérie Cambourieu

Avdelning: Fallskydd

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com